

Create Truemail account on ThunderBird Program

1. Open Mail program of ThunderBird



2. Select Create a new account:





3. Press 'Skip this and use my exiting email'

Your name, or nickname	Search
In partnership with several providers, Thunderbird can offer you a first and last name, or any other words you'd like, in the fields abov	new email account. Just fill in your /e to get started.

true

- 4. Enter following information
 - Your name: displayed name at the destination
 - Email address: enter Truemail Account
 - Password: password of Truemail Account
 - Press Continue

			2
Your <u>n</u> ame:	True] Your name, as shown to others	
Email address: Password:	ibcc12u1@truemail.co.th	1	
<u>-</u> ussword.	Remember password	7	
<u>G</u> et a new acco	ount	<u>Continue</u> C <u>a</u> ncel	



5. The program will automatically look up server, click Manual Config

to manually set up

Your <u>n</u> ame:	True	Your name, as shown to othe	rs
Emai <u>l</u> address:	ibcc12u1@truemail.co.th	-	
<u>P</u> assword:	•••••	-	
	Remember password		
Looking up cor	nfiguration: Trying common	server names 🤿	
Looking up cor	nfiguration: Trying common	server names 🤿	
Looking up cor	nfiguration: Trying common	server names 🤿	
Looking up con	nfiguration: Trying common	server names 🔿	
Looking up cor	ifiguration: Trying common	server names 🥥	
Looking up cor	ifiguration: Trying common	server names 🔿	Canad

true

- 6. Set up more
 - Incoming: POP3 (manually select)
 - Server hostname: pop.truemail.co.th
 - Port: 110, SSL: None
 - Authentication: Normal password
 - Outgoing: SMTP
 - Server hostname: mxauth.truemail.co.th
 - Port: 25, SSL: None
 - Authentication: Normal password
 - Username Incoming: Truemail Account
 - Username Outgoing: Truemail Account
 - Press Done

Tool Donie	alifue		Your name, as	shown t	o oth	ers			
Email address	ibcc12u1	@truemail.co.th]						
Password		•]						
	Reme	mber password							
Configuration	found by tr	vina common serv	er names						
			CLUBITICS						
		, y	er nonnes						
-	,	, ,	er minter						
-		Server hostname		Port		SSL		Authentication	
Incoming:	POP3 ~	Server hostname	th	Port 110	×	SSL None	~	Authentication	~
Incoming: Outgoing:	POP3 ~ SMTP	Server hostname pop.truemail.co mxauth.truemail	.th .co.th ~	Port 110 25	>	SSL None None	× ×	Authentication Normal password Normal password	~ ~ ~
Incoming: Outgoing: Username:	POP3 ~ SMTP Incoming:	Server hostname pop.truemail.co mxauth.truemail ibcc12u1@truen	.th .co.th ~ nail.co.th	Port 110 25	>	SSL None None Outgoing:	*	Authentication Normal password Normal password ibcc12u1@truemai	il.co.th
Incoming: Outgoing: Username:	POP3 ~ SMTP Incoming:	Server hostname pop.truemail.co mxauth.truemail ibcc12u1@truen	.th .co.th ~ nail.co.th	Port 110 25	>	SSL None None Outgoing:	>	Authentication Normal password Normal password ibcc12u1@truemai	il.co.th



7. At warning page, tick a check mark at I understand the risks and

press Done

Warning!
Incoming settings: pop.truemail.co.th does not use encryption.
Technical Details
Outgoing settings: mxauth.truemail.co.th does not use encryption.
Technical Details
Thunderbird can allow you to get to your mail using the provided configurations. However, you should contact your administrator or email provider regarding these improper connections. See the Thunderbird FAQ for more information.
✓ I <u>u</u> nderstand the risks.

8. Back to main page of program, click Get Messages



true

9. Message shows how many incoming mails

	ibcc12u1@truemail.co.th received 10 new messages	×
	Truemail Second Change Triple CC ibcc1_test	_
	[Auto-Reply] Read: Truemail Second Change Triple CC ibcc1@truemail.co.th ขอบคุณค่ะ From - Thu Mar 17 16:09:30 2016 X-Account-Key: account5 X-UIDL: 1	
	Triple Shake ibcc1_test	
	Triple Shake ibcc1_test	

10. Example of ThunderBird's Mail

and the second s	and the second s		9.E	in the second
🎗 Get Messages 👻 🧨 Write	Teg ~ R Guick Filter	Bearth, +Chir+Ka		₽ ≡
Vice Folders	h ₁ = ± ± h φ Π	der these messages +Circ-Shift+K>		P
bcc12u1@towenalLco.th	1 • di Subject	+ From	• Dote	- 7
+ Index (10)	🖉 🍯 🔹 Truemail Second Change Triple CC	* Boc1_test	+ 2/3/2559 11:11	
E Tresh	(Auto-Reply) Read: Truemail Second Change Triple CC	· Bcc1@truemail.co.th	- 2/3/2559 11:21	
	Triple Shake	· ibcc1_test	· 2/3/2559 11:24	
	 Triple Shake 	· ibcc1_test	+ 2/3/2559 11:24	
	Mail True NA	* ibcc12u1@truemail.co.th	+ 10:48	
	 IncrediMail Test Message 	· Bcc12u1@truemail.co.th	- 14:00	
	IncrediMail Test Message	· Boc12u1@truemail.co.th	- 14/02	
	 Kovends 	* true	· 15:36	
	e test	+ Komun Roa@truecorp.co.th	+ 15:37	
	- alwowcadły	+ true	- 15:41	
ersthuldtrusmeil.co.th Re	ereved 10 of 10 mesures		Unreat 10	Total 1
				and the second second