true

การสร้างบัญชี Truemail สำหรับโปรแกรม ThunderBird

1. เปิดโปรแกรม Mail ของ ThunderBird



2. เลือ∩ Create a new account:





3. ∩□ Skip this and use my exiting email

	IIICKIIdIIIE		Search
n partnership with s	several providers, Thunderbird	d can offer you a new ema	ail account. Just fill in your
irst and last name, o	or any other words you'd like,	in the fields above to get	started.
🛾 😮 gandi.net			
he search terms us	sed are sent to Mozilla (<u>Privac</u>	<u>y Policy</u>) and to 3rd party	email providers to find



- 4. กรอกข้อมูล ดังนี้
 - Youe name: ใส่ชื่อที่แสดงไปยังปลายทาง
 - Email address: ใส่ Account Truemail
 - Password: ใส่ธทัสพ่านของ Account Truemail
 - จากนั้นกด Continue

Your <u>n</u> ame:	True	Your name, as shown to others	
Emai <u>l</u> address:	ibcc12u1@truemail.co.th]	
<u>P</u> assword:	•••••]	
	Remember password		
Get a pour see	aunt	Continue	



Your <u>n</u> ame:	True	Your name, as shown to others	5
Email address:	ibcc12u1@truemail.co.th		
Password:	•••••	1	
	Remember password	đ	
Looking up con	figuration: Trying common	server names 🔿	
Looking up con	figuration: Trying common	server names 🤿	
Looking up con	figuration: Trying common	server names 🤿	
Looking up con	figuration: Trying common	server names 🥥	
Looking up con	figuration: Trying common	server names 🥥	
Looking up con	figuration: Trying common	server names 🥥	
Looking up con	figuration: Trying common	server names 🥥	

5. โปรแกรมจะค้นหาค่า server เมลเองอัตโนมัติ แต่ให้คลิกที่ปุ่ม Manual Config เพื่อกำหนดการตั้งค่าเอง



- 6. ตั้งค่าเพิ่มเติม ดังนี้
 - Incoming: POP3 (ເລືອ∩ເອນ)
 - Server hostname: pop.truemail.co.th
 - Port: 110, SSL: None
 - Authentication: Normal password
 - Outgoing: SMTP
 - Server hostname: mxauth.truemail.co.th
 - Port: 25, SSL: None
 - Authentication: Normal password
 - Username Incoming: ระบุบัญชีTruemail
 - Username Outgoing: ຣະບຸບັญชีTruemail
 - ຈາ∩นั้น∩ด Done

Your name:	True		Your name, as	shown t	o othe	ers			
Email address:	ibcc12u1	@truemail.co.th	1						
Password:		•	ĺ						
2	Reme	mber password	ħ						
Configuration	found by try	ing common serv	er names						
Configuration	found by try	ying common serv	er names						
Configuration	found by try	ying common serv	er names						
Configuration	found by tr	y ing common serv Server hostname	er names	Port		SSL		Authentication	
Configuration	found by try POP3 V	ying common serv Server hostname pop.truemail.co	er names .th	Port	~	SSL None	~	Authentication	~
Incoming: Outgoing: S	found by try POP3 ~ SMTP	ying common serv Server hostname pop.truemail.co mxauth.truemail	er names .th .co.th ~	Port 110 25	~ ~	SSL None None	*	Authentication Normal password Normal password	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Incoming:	Found by try POP3 ~ SMTP ncoming:	ving common serv Server hostname pop.truemail.co mxauth.truemail ibcc12u1@truen	er names .th .co.th ~ nail.co.th	Port 110 25	~ ~	SSL None None Outgoing:	> >	Authentication Normal password Normal password ibcc12u1@truemail	~ ~ I.co.th
Incoming: Outgoing: S Username:	found by try POP3 ~ SMTP ncoming:	ving common serv Server hostname pop.truemail.co. mxauth.truemail ibcc12u1@truen	th .co.th ~ nail.co.th	Port 110 25	~ ~	SSL None None Outgoing:	>	Authentication Normal password Normal password ibcc12u1@truemai	l.co.th



7. จะพบหน้าจอแจ้งเตือน ให้ท่าเครื่องหมายถูกที่ I understand the risks จากนั้นกด Done

Aail Account Setup		
	Warning!	
	Incoming settings: pop.truemail.co.th does not use encryption. Technical Details	
	Outgoing settings: mxauth.truemail.co.th does not use encryption. Technical Details	
	Thunderbird can allow you to get to your mail using the provided configurations. However, you should contact your administrator or email provider regarding these improper connections. See the Thunderbird FAQ for more information.	
	✓ I <u>u</u> nderstand the risks.	
	Change <u>S</u> ettings <u>D</u> one	
		_

8. จะกลับมาสู่หน้าหลักของโปรแกรม ให้คลิกที่ Get Messages เพื่อรับเมล

Get Messages Virite	Chat 🖀 Address Book 🗞 Tag 👻 🔍 Quick Filter
uccal Folders ∃ ibcc12u1@truemail.co.th	♥ •• ★ ▲ ● ∅ > ★ ∅
📥 Inbox	
🔟 Trash	

true

9. จะมีข้อความขึ้นมาแจ้งว่ามีเมลเข้าแล้วจำนวนที่ฉบับ



10. ตัวอย่งหน้าจอโปรแกรมเมล ThunderBird

	Chat & Address Book 10 Tag * Quick Filter	Seorth +Ch/+K>	1
Nocal Folders	★ + ★ & ♥ Ø Filterthe	se messapes «Cot+Digt+K»	
bcc12u1@truemal.co.th	1 ★ Ø Subject	# from	• Date -
Inbox (10)	👘 🧑 🔹 Truemail Second Change Triple CC	ibcc1_test	- 2/3/2559 11:11
E Tash	[Auto-Reply] Read: Truemail Second Change Triple CC	ibcc1@truemail.co.th	· 2/3/2559 11:21
	I + Triple Shake	# ibcc1_test	- 2/3/2559 11:24
	Triple Stuke	ibcc1_test	- 2/3/2559 11:24
	🗈 🔹 Mail True NA	ibcc12u1@truemail.co.th	- 10:48
	 IncrediMail Test Message 	 ibcc12u1@truemail.co.th 	- 14:00
	IncrediMail Test Message	ibcc12u1@truemail.co.th	- 14:02
	🕆 🔶 Kownds	* true	• 15:36
	 test 	Komsan_Rua@truecorp.co.th	- 15:37
	alwoved[v	+ true	- 15:41