


Set up LAN on AP Billion BiPAC 3301DL-T

1. Type 192.168.2.1 then press **Enter**

- **User** = admin
- **Password** = enter letters from below picture (if it's not clear, click at picture, form will change but always the same code)



2. Click **Advanced**

BILLION English **Advanced**

Quick Setup

Internet Connection Type

Dynamic IP Static IP PPPoE

MAC Clone :

Wireless Setup

2.4G SSID :	<input type="text" value="true_home2G_872"/>
Security :	<input type="radio"/> Disable <input checked="" type="radio"/> Enable
Password :	<input type="password" value="*****"/>
(Please enter 8-63 characters.)	
5G SSID :	<input type="text" value="true_home5G_872"/>
Security :	<input type="radio"/> Disable <input checked="" type="radio"/> Enable
Password :	<input type="password" value="*****"/>
(Please enter 8-63 characters.)	

Save

<http://www.billion.com>

3. Status

The screenshot displays the configuration page for a Billion BIPAC 3301DL-T router. The interface is organized into several sections:

- Header:** Features the 'BILLION' logo and a 'Quick Setup' button.
- Left Sidebar:** A navigation menu with options: Status, Network, IPv6, Wireless 2.4G, Wireless 5G, Bandwidth Control, Forwarding, Access Control, Dynamic DNS, Advanced, System Tools, Logout, and a language dropdown set to 'English'.
- Main Content Area:**
 - WAN:** Shows connection details for Dynamic IP (DHCP).

Connection Type	Dynamic IP (DHCP)
MAC Address	60:03:47:3f:58:73
IP Address	0.0.0.0
Subnet Mask	0.0.0.0
Default Gateway	0.0.0.0
Primary DNS	
Secondary DNS	
Link Status	Disconnected
 - LAN:** Shows local network settings.

MAC Address	60:03:47:3f:58:72
IP Address	192.168.2.1
Subnet Mask	255.255.255.0
DHCP Server	Enable (192.168.2.23-192.168.2.64)
 - Wireless 2.4G:** Shows settings for the 2.4GHz Wi-Fi network.

Wireless Status	Enable
SSID	True_home2G_872
Radio Mode	AP
Authentication Type	WPA2-PSK
Channel	9
MAC Address	60:03:47:3f:58:72
WPS Status	Enable
 - Wireless 5G:** Shows settings for the 5GHz Wi-Fi network.

Wireless Status	Enable
SSID	True_home5G_872
Radio Mode	AP
Authentication Type	WPA/WPA2-PSK
Channel	161
MAC Address	60:03:47:3f:58:72
WPS Status	Disable

At the bottom left of the interface, the URL <http://www.billion.com> is visible.

4. Go to Network > LAN

- IP Address : IP Address of AP
- Subnet Mask : Subnet Mask of AP
- DHCP Status : turn on-off DHCP
- Start IP Address
- End IP Address
- Lease Time : duration time to clear DHCP and share new IP Address
- DHCP Client List : show client device connected to AP

