

Unbox True IoT Router WiFi

Front





Back:True IoT Router WiFi qualifications





Side of a box



Bottom:

A sticker shows IMEI and Serial No.





Front of device:

- LED status on the top (true Logo on the right)
- Ventilation holes on the top





Back of device:


- 1) Ethernet port for connecting Internet or Computer
- 2) Ethernet port for connecting Computer or Network devices
- 3) RJ11 standard port (general telephone cable) for fixedline
- 4) Port for power in (Adaptor)
- 5) Switch to turn on-off device (down = off / up = on)





Top:

- 1) Reset : to restore to factory settings
- 2) WPS (Push button): to turn on WPS function (for the devices support WPS)



Bottom of device:

- Ventilation holes
- Sticker shows data for device connection





Details on sticker:

- WLAN NAME (SSID) = network name : True_loT_Router_WiFi_XXXXX
- WLAN KEY = password to connect network : the last 8 digits of IMEI (default)
- Device Manager Website = website address to configure device : http://192.168.0.1 (default)
- Website User Name = user name (default)
- Website Password = password (default)
- IMEI = IMEI numbers : notice the last 8 digits > will be the same as WLAN KEY
- S/N = Serial Number





Left:
slot for SIM Card (Normal SIM) *SIM Card should not be micro-SIM nor nano-SIM*





LED status

ลักษณะไฟสถานะ	ไฟสถานะ	สถานะการทำงาน
(h)	āa (āwh)	มีการถ่ายใฟฟ้าเข้าตัวอุปกรณ์
	đu	ไม่มีการจ่ายใฟฟ้าเข้าตัวอุปกรณ์ หรืออุปกรณ์ถูกปิดอ
WIFI	āa (ౙŴi)	มีการเปิดใช้งาน WIFI แต่ในปีการรับ-ส่งข้อมูล
	กระพรีบ (สีฟ้า)	WI-FI กำเทนเป็นปกติ เละมีการรับ-ส่ง ข้อมูล
	ดับ	มีการปิดการทำเทนของ WI-FI
1 3G/4G	ติด (สีแดง)	เปิดใช้งาน เต่ไม่ใต้เชื่อมต่อกับเครือข่ายผู้ให้บริการ
	ସିମ (ଶିฟ้า)	เชื่อมต่อกับเครือข่ายพู้ให้บริการสำเร็จ
	กระพรีบ (สีพัก)	มีการเชื่อมต่อเครือข่าย 4G กับพู้ให้บริการ และมีการรับ -ส่งข้อมูล
	ดิต (สีเขียว)	เชื่อมต่อเครือข่าย 3G กับพู้ให้บริการสำเร็จ
	กระพรับ (สีเขียว)	มีการเชื่อมต่อเครือข่าย 3G กับผู้ให้บริการ และมีการรับ ส่งข้อมูล
PHONE	đu	วางสายโทรศัพท์พื้นฐานแล้ว
	กระพรับ (สีฟ้า)	มีการยกภูโทรศัพท์พื้นฐาน, มีสายเข้า หรือกำลังกำการ เมื่อมต่อกับเครือข่าย
	āa (ౙŴh)	มีการใช้งานโทรศัพท์พื้นฐานอยู่
Y.II SIG	ଗିଶ (ଶି ฟ ้า)	สัญญาณโครงช่ายของพู้ให้บริการดี ถึงดีมาก
	กระพรับ (สีฟ้า)	สัญญาณโครงข่ายของผู้ให้บริการอ่อน
	đu	ไม่มีสัญญาณ



Contents in a box

- True IoT Router WiFi
- Adaptor power 100-240V
- LAN Cable
- User manual both Thai and English (in the same book)
- Warranty 12 months (Adaptor warranty 6 months)

